

Datum: 08.12.2025

Piara.net - Računalniški servis in trgovina
Cesta v Mestni log 55, Ljubljana

Davčna št.: SI35517140
Telefon: 041 596 992
E-mail: info@piara.net
WWW: www.piara.net



(slika je simbolična)

[TP-Link Deco X50 \(2 pack\) domači Mesh Wifi sistem](#)

Kategorija: [Mrežna oprema](#)

Šifra:

Redna cena z DDV: **145,72 €**

Na zalogi

WIRELESS	
Standards	Wi-Fi 6 IEEE 802.11ax/ac/n/a 5 GHz IEEE 802.11ax/n/b/g 2.4 GHz AX3000
WiFi Speeds	5 GHz: 2402 Mbps (802.11ax, HE160) 2.4 GHz: 574 Mbps (802.11ax) 3-4 Bedroom Houses (2-pack)
WiFi Range	TP-Link Mesh Technology Optional Ethernet backhaul work together to link Deco units to provide seamless coverage AI-Driven Mesh Intelligently learns the network environment to provide ideal Wi-Fi unique to your home 2x Antennas (Internal) Multiple antennas form a signal-boosting array to cover more directions and large areas Beamforming Concentrates wireless signal strength towards clients to expand WiFi range High
WiFi Capacity	Dual-Band Distribute devices to different bands for optimal performance 2x2 MU-MIMO Simultaneously communicates with multiple MU-MIMO clients OFDMA Simultaneously communicates with multiple WiFi 6 clients 4 Streams More than enough bandwidth for connected devices Router Mode Access Point Mode
Working Modes	
HARDWARE	
Processor	1 GHz Dual-Core CPU
Button	Reset Button 3x Gigabit Ports
Ethernet Ports	*Per Deco Unit Supports WAN/LAN auto-sensing
SECURITY	
WiFi Encryption	WPA-Personal WPA2-Personal WPA3-Personal SPI Firewall Access Control
HomeShield Security	
Network Security	Real-Time IoT Protection Malicious Site Blocker Intrusion Prevention System DDoS Attack Prevention Home Network Scanner
Guest Network	1x 5 GHz Guest Network 1x 2.4 GHz Guest Network
SOFTWARE	
Protocols	IPv4 IPv6
Service Kits	HomeShield Learn More>
Parental Controls	HomeShield Parental Controls
	Custo

Specifikacije

Vrsta naprave Mesh WIFI

WAN Types	Dynamic IP Static IP PPPoE PPTP L2TP
Quality of Service	HomeShield QoS
Cloud Service	QoS by Device OTA Firmware Upgrade TP-Link ID DDNS
NAT Forwarding	Port Forwarding UPnP IGMP Proxy IGMP Snooping
IPTV	Bridge Tag VLAN Address Reservation
DHCP	DHCP Client List
DDNS	Server
Management	TP-Link Deco App

PHYSICAL

Dimensions (W×D×H) 4.33 × 4.33 × 4.49 in
 (110 × 110 × 114 mm)
Deco X50 (1-pack)
 1 Deco X50 unit
 1 RJ45 Ethernet cable
 1 Power adapter
 1 Quick Installation Guide

Package Contents
Deco X50 (2-pack)
 2 Deco X50 units
 1 RJ45 Ethernet cable
 2 Power adapters
 1 Quick Installation Guide

Deco X50 (3-pack)
 3 Deco X50 units
 1 RJ45 Ethernet cable
 3 Power adapters
 1 Quick Installation Guide

OTHERS

System Requirements Android 4.4 or later
 iOS 9.0 or later

Certifications CE, FCC, RoHS, RCM

Environment Operating Temperature: 0°C~40°C (32°F~104°F)
 Storage Temperature: -40°C~70°C (-40°F~158°F)
 Operating Humidity: 10%~90% non-condensing
 Storage Humidity: 5%~90% non-condensing

TEST DATA

WiFi Transmission Power CE:
 <20 dBm (2.4 GHz)
 <23 dBm (5 GHz)
 FCC:
 <30 dBm (2.4 GHz)
 <30 dBm (5 GHz)

Uradna stran proizvajalca:

[https://www.tp-link.com/my/home-networking/deco/deco-x50/v1%20\(2-pack\)/#overview](https://www.tp-link.com/my/home-networking/deco/deco-x50/v1%20(2-pack)/#overview)